MARK	DATE	REVISION DESCRIPTION	REVISER
1			
2			



ITEM	PART NUMBER	PART NAME	QTY	REMARK
44	650-SM100804-10-00	TOP COVER	1	
43	704-20M50502-20-00	DRIP PROOF COVER	1	
42	704-CEM310001-00-00	FIBRE SHEET	1	
41	410-	MAIN PCB	1	
40	650-SM885A07-00-00	IC BRACKET	1	
39	650-CEM200005-00-00	HALF SLEEVE	1	
38	660-MPH30160B-21-00	PAN HEAD MACHINE SCREW 3x16	2	
37	660-EBH2610B-21-00	TAPTITE SCREW 2.6x10	4	
36	650-SM100805-40-00	HEATSINK	1	
35	650-20M50502-00-00	REAR CHASSIS	1	
34		WIRE CLAMPER A	1	
33		WIRE CLAMPER B	1	
32	650-0003L835-00-00	7808 IC BRACKET	2	
31	660-MPH30060-21-00	PAN HEAD MACHINE SCREW 3x6	2	
30	660-EBH2606B-21-00	TAPTITE SCREW 2.6x5	7	
29	650-CEM310001-00-00	MAIN BRACKET	1	
28	660-TPH20081-23-00	PAN HEAD TAPPING SCREW 2x8	7	
27	410-	KEY PCB	1	
26	443-07507820-00-00	ZEBRE	1	
25	600-00M50519-00-00	LCD HOLDER	1	
24	600-00M50509-00-00	LCD LIGHT GUIDE	1	
23	704-00M50501-00-00	LCD FILTER SHEET	1	
22	440-	LCD	1	
21	650-00M50501-00-00	LCD BRACKET	1	
20				
19				
18	600-00M50814-00-00	Reset Button	1	
17	600-00M50804-00-00	Button Backlight	1	
16	600-00M50810-00-00	Function Button 06	1	
15	600-00M50813-00-00	Button Bracket	1	
14	600-00M50805-00-00	Function Button 01	1	
13	600-00M50801-00-00	Panel Front	1	
12	600-00M50803-00-00	Lens	1	
11	600-00M50812-00-00	Function Button 08	1	
10	600-00M50815-00-00	USB Cover	1	
9	600-00M50805-00-00	Function Button 02	1	
8	600-00M50806-00-00	Function Button 03	1	
7	600-00M50807-00-00	Function Button 04	1	
6	600-00M50808-00-00	Function Button 05	1	
5	600-00M50809-00-00	Function Button 07	1	
4	650-0005L85D-00-00	Spring Steel	1	
3	600-00M50816-00-00	Rotary Knob	1	
2	444-00CM5404-00-00	Knob Ring	1	
1	600-00M50802-00-00	Trim Plate	1	

Description			File name	Panel exploded view			
Author	Audit	Approve	Customer name	Clarion			
W.Z.C	WJY	Kent	Model	M508			
2017.08.17	2017.08.20	2017.08.26		File number	Pagination	Ver	Size
SOUNDMAX Electronics Ltd.			File		1/1	1. 0	A4



Item	Assembly Part NO	Description	Quantity	REMARK
25	763-00M50800-06-00	Carton for M508	1	
24	756-00M508CN-01-00	Gift Box	1	
23	769-00M50501-00-00	Pulp Tray	1	
22	750-02300300-00-00	Corrugated Paper Sheet, L=230 x W=300mm	1	
21	759-27032005-30-45	Polybag, Open Side=270 x L=320 x T=0.05mm	1	
20		*RCX001* Remote Control for Clarion (M508)	1	
19		Installation Guide Card	1	
18		Warrantyon Card	1	
17		instruction Manual	1	
16	759-17022005-30-45	poly bag, Open side=170mm*L=220mm*T=0.04mm	1	
15		mainframe	1	
14	650-CEM200005-00-00	HALF-SLEEVE	1	
13	600-00M50802-00-00	Trim Plate	1	
12				
11	759-46036000-40-00	poly bag, Open side=460mm*L=360mm*T=0.04mm	1	
10		wire rod	1	
9	759-04020001-60-60	Polybag, Open Side=40xL=200xT=0.06mm	1	
8	650-CS880000-25-02	Mounting Plate(Short), EGI, Kinetics	1	
7	759-08009001-40-00	Polybag, Open Side=80 x L=90 x T=0.04mm	1	
6	661-SWM05000-00-00	Spring Washer M5	2	
5	662-UNM50040-00-00	Hexagon Nut M5xP0.8x4t	1	
4	660-MIW50080-00-00	Machine Screw, M5x8 Hexagonal Head	4	
3	660-MKF50070-27-00	Machine Screw, M5x7 Flat Countersunk	4	
2	660-MIID50120-01-01	Machine Screw, M5x12+M5x5.5Hexagonal Head, Yellow zinc	1	
1	650-SM300709-01-00	Unit Key, T=1.0mm EGI	1	

NO.	DESCRIPTION	MATERIAL	FINISH (COLOR)	Q'TY	REMARK
DESIGN	CHECK	APPROVAL	G.TOL ±0.1	NAME	M508 Packing explode
W.Z.C	/	W.J.Y	SCALE	UNIT	
2017.12.18	/	2017.12.18		MODEL NO.	FILE / SIZE
SOUNDMAX ® Electronics Limited				PART NO.	

VER. V3.0

MRK	DATE	REVISION RECORD
1	20170826	Green RCA Outputs: Change from "2-ZONE LEFT LINE OUTPUT" to "FIXED LEFT LINE OUTPUT" Change from "2-ZONE RIGHT LINE OUTPUT" to "FIXED RIGHT LINE OUTPUT"
2	20180309	Add BT MICROPHONE wire







DIRECTION A

DETAIL B

PIN NO.	WIRE COLOR	WIRE DEFINITION	WIRE GAUGE
1	GREEN	REAR LEFT SPEAKER +	20 AWG
2	WHITE/BLACK	FRONT LEFT SPEAKER -	20 AWG
3	WHITE	FRONT LEFT SPEAKER +	20 AWG
4	GREY	FRONT RIGHT SPEAKER +	20 AWG
5	GREY/BLACK	FRONT RIGHT SPEAKER -	20 AWG
6	PURPLE	REAR RIGHT SPEAKER +	20 AWG
7	PURPLE/BLACK	REAR RIGHT SPEAKER -	20 AWG
8	YELLOW	12V BATTERY	18 AWG
9	GREEN/BLACK	REAR LEFT SPEAKER(-)	20 AWG
10			
11	RED	12V IGNITION	20 AWG
12	BLUE	POWER ANTENNA	20 AWG
13	BLUE/WHITE	AMPLIFIER REMOTE TURN ON	20 AWG
14	ORANGE/WHITE	ILLUMINATION/DIMMER	20 AWG
15			
16	BLACK	GROUND	18 AWG

Description			File name	Wiring diagram			
Author	Audit	Approve	Customer name	Clarion			
W.Z.C	WJY	Kent	Model	M508			
2017.08.26	2017.08.26	2017.08.28	File	File number	Pagination	Ver	Size
SOUNDMAX Electronics Ltd.					1/1	1. 0	A4

Item Code	Description	QTY	Unit
001-0000M508-00-S0	AP8064 Audio Application Processor,M508 LQFP64-7x7mm.Operating Temperature-40/+8 AP8064 integrates,ARM Cortex-M3 MCU, 工作温度：-40/+85度，LQFP64-7x7mm.	1	PC
001-0074HC32-00-00	Integrated Circuit 74HC32,Quad 2-input OR Gate 集成电路 74HC32	1	PC
001-00AP1509-00-00	DC/DC Converter IC AP1509-SL-13 封装：SOP-8L 集成电路 AP1509-SL-13 最大电流输出：2A 工作电压：4.5Vto22V 储存温度：-65℃~150℃	1	PC
001-00AZ1117-33-10	VOL. REGULATOR IC AZ1117 3.3V SOT223-3L OUTPUT=3.3V+/-0.2% 1A 稳压IC AZ1117 3.3V SOT223 -3L 输出电压3.3V+/-0.2% 1A,威斯迈提供 2017-8-29 增加001-LC111700-33-00	2	PC
001-00GS7138-50-00	Integrated Circuit ,GS7138-5.0V Package,SOT-89-3(S9)，Tape-Mount,BY VISV 5V稳压IC，型号：GS7138-5.0V；封装：SOT-89-3(S9)，编带包装；威斯迈供应	1	PC
001-00HT1623-00-00	S,Integrated Circuit,Type HT1623 LQFP-10 LCD DISPLAY DRIVE IC 集成电路 HT1623 封装为 LQFP-48P LCD 显示驱动IC	1	PC
001-00SI4743-00-00	Integrated Circuit SI4743 Tuner system IC,QFP24(4X4X0.825 24-Pin Q	1	PC
001-00W25Q80-00-00	8M FLASH MEMORY IC,W25Q80 封装:8-pin SOIC 208-mil,供应商：Winbond 集成电路W25Q80 闪存IC 8M-bit 封装:8-pin SOIC 208-mil 型号：W25Q80	1	PC
001-00YD2792-00-00	Integrated Circuit, YD2792 TSSOP20 Amp 运放IC YD2792 封装：TSSOP20, 工作电压：6-11v;友达公司 YD2792是一块具有自举功能的四通道音频放大	2	PC
001-0LM2950L-60-00	Integrated Circuit LM2950L-3.3, Voltage Regultor TO-92 Package,Tape-Mount 3.3V稳压IC，Brand: HTC 编带包装	2	PC
001-0M505MCU-00-S0	M505/M205 MCU,STM8S005K6	1	PC
001-0NJM4558-00-00	Integrated Circuit,NJM4558 SOP-8 Op Amp	2	PC
001-0UTC7808-00-00	Integrated Circuit UTC7808,8V 1.5A TO-22 集成电路,三端稳压IC UTC7808, 8V 1A TO-220,	1	PC
001-0UTC7809-00-00	Integrated Circuit UTC7809,9V 1.5A TO-22 集成电路,三端稳压IC UTC7809, 9V 1A 封装 TO-220,	1	PC
001-337S3959-01-T0	iPod Authentication Coprocessor 2.0C IC,MODEL:MFI337S3959-01.Size:2.5 mmx2.5m iPod认证处理IC,型号：MFI337S3959-01, 尺寸：2.5 mm x 2.5 mm,封装：PG-USON-8-1	1	PC
001-CYT78L05-TA-00	Integrated Circuit CYT78L05, 5V +/-4% Ipk=150mA Regulator,TO-92,Tape-Mount	2	PC
001-FT24C32A-00-00	Integrated Circuit ,FT24C32A SOP-8, 4096X8 (32K) -byte serial EEPROM, 集成电路 FL24C32A 封装:SOP-8 EEPROM, GM-Electronics	1	PC
001-0T235000-00-00	Integrated Circuit 0T2350,7-ch Input 电子VOL IC，0T2350，7路信号输入。 供货商：元泰积体电路股份有限公司, 封装：48pin,LQFP,7mm x 7mm, 电压范围：5V to 10V,推荐8V，电流MAX：46m	1	PC
001-TB2938HQ-00-00	Integrated Circuit,TOSHIBA TB2938HQ,4X41 Amplifier, 东芝TB2938HQ	1	PC

006-0008050D-01-10	Transistor S8050 TO-92 HFE=150~300 Ic=0 塑封三极管 NPN 三极管 S8050 TO-92 HFE=150~300 华兆鑫提供，编带包装 代替：006-0008050D-01-00，2017-8-23增加0	1	PC
006-0008550D-01-10	Transistor S8550 TO-92 HFE=85~400 塑封三极管 三极管 S8550 TO-92 HFE=85~400 编带包装 华兆星提供 代替：006-0008550D-01-00/2017-8-23增加00	1	PC
006-000B772P-3A-00	Transistor,B772P,TO-126,PNP Power Transi HFE=160~320 Ic=3A Pc=1.25W 插件三极管 B772P,PNP TO-126 HFE=160~320 牌子:NEC,合芯电子公司提供 备注：2017-9-2，ALL ECN代用为：006-0000B	5	PC
007-0009018S-0H-10	SMD Transistor, S9018, HFE=100-200 SMD三极管9018SH 3K/PACKAGE 2017-8-23增加007-S9018000-00-00	1	PC
007-S8550000-00-10	S8550 TRANSISTOR (PNP) SOT-23 Collector current: I =0.5A Collector-B 贴片三极管s8550 hFE:200-350 由华兆鑫供货 代用：007-S8550000-00-00/2017-8-23增加00	5	PC
007-S9014000-00-00	Transistor S9014 NPN,Package SOT-23, HFE=200~450, MARKING:J6 Ic=100mA SMD三极管S9014 NPN型，封装SOT-23 代用：007-00S9014S-01-00	30	PC
010-DMP3098L-00-00	MOSFET Transistor DMP3098L-7 SOT-23 -30V，-3.8A 塌效应管DMP3098L-7 SOT-23 -30V，-3.8A，威斯迈供应	2	PC
012-0603ESDA-09-00	SMT 0603ESDA-09，ESD 防静电管 ， < 比特> SMT ESD 防静电管 ,型号：0603ESDA-09 带装，电容容量：3P,适用于USB2.0 工作电压：9V，	9	PC
013-0000SK24-00-00	SMT Diode SK24 贴片二极管 SK24 封装为 5 K/PACKAGE	1	PC
013-001N4148-02-10	SMT Diode 1N4148 LL-34 (SEMTECH Electronics.Ltd.)5K/PACKAGE 贴片二极管 1N4148,封装为LL-34	6	PC
014-00500039-12-10	ZENER DIODES,Vznom:3.9V+/-0.2V SMD:LL-34，Ptot:500mA 齐纳稳压二极管：3.9V,封装：LL-34 三盛源供应 代用;014-00500039-12-00	1	PC
014-00500051-11-20	ZENER DIODES,Vznom:5.1V+/-0.3V SMD:LL-34，Ptot:500mW 齐纳稳压二极管，5.1V,封装：LL-34 三盛源供应 代用：014-00500051-11-10	6	PC
014-00500056-11-00	Zener Diode SMD 5.6V 0.5W +/-2% - DL35 Tape-Binded 2500/PACKAGE 然纳二极管SMD,5.6V 0.5W,+/-2% 贴片带装 2500 / PACKAGE	12	PC
014-00500062-11-00	Zener Diode SMD 6.2V 0.5W +/-2% SMA 403D-02 Tape-Binded 然纳二极管SMD,6.2V 0.5W,+/-2% 贴片带装	1	PC
014-00500068-10-20	ZENER DIODES,6.8V+/-0.4V SMD:LL-34，Ptot:500mW 齐纳稳压二极管，6.8V 封装：LL-34 代用：014-00500068-10-10	1	PC
014-00500091-01-10	ZENER DIODES,9.1V+0.5-0.6V DIP:DO-35，Ptot:500mW	1	PC

	齐纳稳压二极管，9.1V 封装：DO-35 编带包装，三盛源供应 代用：014-00500091-01-00		
014-01000300-00-10	Zener Diode 30V +/-5%/1W, DO-41(GLASS) IN4751A, (Tape Mount) 齐纳稳压二极管，封装：DO-41 代用：014-01000300-00-00 备注：2017-6-1	2	PC
016-001N4007-00-10	Rectifier 1N4007 (Tape-Mount) 整流子 1N4007 带装 深圳泰丰祥公司 REPLACE:016-001N4007-00-00	5	PC
016-001N5407-00-00	Rectifier IN5407 3A Peak forward current Reverse Voltage：800 Volts IN5407 3A,反向电压:800V,HK骏利贸易公司 储存温度：-65℃ to 175℃ BY Team Force 代用：016-001N5401-00-00	1	PC
016-0B5819WS-00-00	Rectifier B5819WS 整流子,型号：B5819WS, 封装：SOD-323	3	PC
017-GY192101-UB-A0	LED(SMD 0603)Size=1.6x0.8x0.8,Blue Color Part on:GY19-2101UBC VF=3.2V IV=20mA 发光二极管 蓝色(超亮),SMD贴片型0603 带装 4K/卷 VF=3.2V IV=20mA IV=90mcd 光宇公司 4K/R IF=90mcd GUANG YU For PHILIPS Moed 尺寸=1.6x0.8x0.8mm	15	PC
017-GY34EU86-W2-A0	LED D3xL4.15mm,Model:GY-34EU86W2CMC-AE-L 2Pin White VF=3.2V IF=20mA IV=2500mcd 发光二极管 白色(超亮) 2Pin D3xL4.15mm VF=3.2V IF=20mA IV=2500mcd 光宇公司 (PHILIPS CEM200) GUANG YU 等级:C4/C5/C6	2	PC
018-001N4007-00-00	Rectifier SMD M7 1.0A/1000V DO-214AC (SMA) SMD 贴片整流二极管，型号：M7, 1.0A/1000V	3	PC
058-00340000-00-00	Chip Resistor (0603) 0 Ohm (Jumper wire) 1A (Only accept <0.05 Ohm tolerance) 贴片电阻(0603) 0 Ohm (Jumper wire) 1A (只能接受少於0.5欧误差)	8	PC
058-00340000-00-10	Chip Resistor (0603)0 Ohm 1/10W +/-1% 贴片电阻 (0603) 0 Ohm 1/10W +/-1%	3	PC
058-00341470-00-00	Chip Resistor (0603) 4.7Ohm 1/10W +/-5% 贴片电阻(0603) 4.7 Ohm 1/10W +/-5%	2	PC
058-00342100-00-00	Chip Resistor (0603) 10 Ohm 1/10W +/-5% 贴片电阻(0603)10 Ohm 1/10W +/-5%	6	PC
058-00342220-00-00	Chip Resistor (0603) 22 Ohm 1/10W +/-5% 贴片电阻(0603) 22 Ohm 1/10W +/-5%	2	PC
058-00342330-00-00	Chip Resistor (0603) 33 Ohm 1/10W +/-5% 贴片电阻(0603) 33 Ohm 1/10W +/-5%	2	PC
058-00343100-00-00	Chip Resistor (0603) 100 Ohm 1/10W +/-5% 贴片电阻 (0603) 100 Ohm 1/10W +/-5%	11	PC
058-00343180-00-00	Chip Resistor (0603) 180 Ohm 1/10W +/-5% 贴片电阻 (0603) 180 Ohm 1/10W +/-5%	1	PC
058-00343220-00-00	Chip Resistor (0603) 220 Ohm 1/10W +/-5% 贴片电阻 (0603) 220 Ohm 1/10W +/-5%	12	PC
058-00343270-01-01	Chip Resistor(0603) 270 Ohm 1/10W +/-1% 贴片电阻(0603) 270 Ohm 1/10W +/-1%	2	PC
058-00343470-00-00	Chip Resistor (0603) 470 Ohm 1/10W +/-5% 贴片电阻 (0603) 470 Ohm 1/10W +/-5%	3	PC
058-00343560-00-00	Chip Resistor(0603) 560 Ohm 1/10W +/-5% 贴片电阻 (0603) 560 Ohm 1/10W +/-5%	1	PC
058-00343680-00-00	Chip Resistor(0603)680 Ohm 1/10W +/-5% 贴片电阻 (0603) 680 Ohm 1/10W +/-5%	16	PC

058-00343680-01-00	Chip Resistor(0603) 680 Ohm 1/10W +/-1% 贴片电阻(0603) 680 Ohm 1/10W +/-1%	1	PC
058-00344100-00-00	Chip Resistor (0603) 1K Ohm 1/10W +/-5% 贴片电阻 (0603) 1K Ohm 1/10W +/-5% 1K	34	PC
058-00344120-00-00	Chip Resistor (0603)1.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 1.2K Ohm 1/10W +/-5%	2	PC
058-00344120-00-10	Chip Resistor (0603)1.2K Ohm 1/10W +/-1% 贴片电阻 (0603) 1.2K Ohm 1/10W +/-1%	2	PC
058-00344150-00-00	Chip Resistor(0603)1.5K Ohm 1/10W +/-5% 贴片电阻 (0603) 1.5K Ohm 1/10W +/-5%	2	PC
058-00344180-00-10	Chip Resistor(0603) 1.8K Ohm 1/10W +/-1% 贴片电阻 (0603) 1.8K Ohm 1/10W +/-1%	2	PC
058-00344220-00-00	Chip Resistor(0603) 2.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 2.2K Ohm 1/10W +/-5%	25	PC
058-00344270-00-00	Chip Resistor(0603) 2.7K Ohm 1/10W +/-5% 贴片电阻 (0603) 2.7K Ohm 1/10W +/-5%	4	PC
058-00344270-00-10	Chip Resistor (0603)2.7K Ohm 1/10W +/-1% 贴片电阻 (0603) 2.7K Ohm 1/10W +/-1%	2	PC
058-00344330-00-00	Chip Resistor(0603) 3.3K Ohm 1/10W +/-5% 贴片电阻 (0603) 3.3K Ohm 1/10W +/-5%	7	PC
058-00344430-01-00	Chip Resistor(0603) 4K3 Ohm 1/10W +/-1% 贴片电阻(0603) 4K3 Ohm 1/10W +/-1%	1	PC
058-00344470-00-00	Chip Resistor(0603) 4.7K Ohm 1/10W +/-5% 贴片电阻 (0603) 4.7K Ohm 1/10W +/-5% 4K7	14	PC
058-00344510-00-00	Chip Resistor(0603) 5.1K Ohm 1/10W +/-5% 贴片电阻 (0603) 5.1K Ohm 1/10W +/-5%	2	PC
058-00344680-01-00	Chip Resistor(0603) 6K8 Ohm 1/10W +/-1% 贴片电阻(0603) 6K8 Ohm 1/10W +/-1%	2	PC
058-00344820-00-00	Chip Resistor(0603) 8.2K Ohm 1/10W +/-5% 贴片电阻 (0603) 8.2K Ohm 1/10W +/-5%	2	PC
058-00344910-00-00	Chip Resistor (0603)9.1K Ohm 1/10W +/-5% 贴片电阻 (0603) 9.1K Ohm 1/10W +/-5%	2	PC
058-00345100-00-00	Chip Resistor (0603) 10K Ohm 1/10W +/-5% 贴片电阻(0603) 10K Ohm 1/10W +/5% 10K	37	PC
058-00345120-00-10	Chip Resistor (0603) 12K Ohm 1/10W +/-1% 贴片电阻(0603) 12K Ohm 1/10W +/-1%	2	PC
058-00345150-00-00	Chip Resistor (0603) 15K Ohm 1/10W +/-5% 贴片电阻(0603)15K Ohm 1/10W +/-5%	2	PC
058-00345180-00-00	Chip Resistor (0603) 18K Ohm 1/10W +/-5% 贴片电阻(0603) 18K Ohm 1/10W +/-5%	2	PC
058-00345220-00-00	Chip Resistor (0603) 22K Ohm 1/10W +/-5% 贴片电阻(0603) 22K Ohm 1/10W +/-5%	27	PC
058-00345300-00-00	Chip Resistor (0603) 30K Ohm 1/10W +/-5% 贴片电阻(0603) 30K Ohm 1/10W +/-5%	4	PC
058-00345330-00-00	Chip Resistop (0603) 33K Ohm 1/10W +/-5% 贴片电阻(0603) 33K Ohm 1/10W +/-5%	19	PC
058-00345470-00-00	Chip Resistor (0603) 47K Ohm 1/10W +/-5% 贴片电阻(0603) 47K Ohm 1/10W +/-5% 47K	18	PC
058-00345560-00-00	Chip Resistor (0603) 56K Ohm 1/10W +/-5% 贴片电阻(0603) 56K Ohm 1/10W +/-5%	2	PC
058-00345680-00-00	Chip Resistor (0603) 68K Ohm 1/10W +/-5% 贴片电阻(0603) 68K Ohm 1/10W +/-5%	1	PC
058-00345820-00-00	Chip Resistor (0603) 82K Ohm 1/10W +/-5% 贴片电阻(0603) 82K Ohm 1/10W +/-5%	1	PC
058-00346100-00-00	Chip Resistor(0603) 100K Ohm 1/10W +/-5% 贴片电阻(0603) 100K Ohm 1/10W +/-5%	10	PC
058-00346150-00-00	Chip Resistor(0603) 150K Ohm 1/10W +/-5% 贴片电阻(0603) 150K Ohm 1/10W +/-5%	1	PC
058-00346220-00-00	Chip Resistor(0603) 220K Ohm 1/10W +/-5% 贴片电阻(0603)220K Ohm 1/10W +/-5%	2	PC
058-00346330-00-00	Chip Resistor(0603) 330K Ohm 1/10W +/-5% 贴片电阻(0603) 330K Ohm 1/10W +/-5%	3	PC
058-00346470-00-00	Chip Resistor(0603) 470K Ohm 1/10W +/-5% 贴片电阻(0603) 470K Ohm 1/10W +/-5%	2	PC

058-00347100-00-00	Chip Resistor (0603) 1M Ohm 1/10W +/-5% 贴片电阻(0603)1M Ohm 1/10W +/-5%	1	PC
058-00348100-00-00	Chip Resistor(0603) 10M Ohm 1/10W +/-5% 贴片电阻(0603) 10M Ohm 1/10W +/-5%	1	PC
058-00443180-00-00	CHIP Resistor (0805) 180 Ohm 1/8W +/-5% 贴片电阻(0805) 180 Ohm 1/8W +/-5%	7	PC
058-00443330-00-00	CHIP Resistor (0805) 330 Ohm 1/8W +/-5% 表面钎接电阻 (0805) 330 Ohm 1/8W +/-5%	2	PC
058-00443470-00-00	CHIP Resistor (0805) 470 Ohm 1/8W +/-5% 表面钎接电阻 (0805) 470 Ohm 1/8W +/-5%	1	PC
058-00444100-00-00	CHIP Resistor (0805) 1K Ohm 1/8W +/-5% 表面钎接电阻 (0805) 1K Ohm 1/8W +/-5%	1	PC
058-00444220-00-00	CHIP Resistor (0805) 2K2 Ohm 1/8W +/-5% 表面钎接电阻 (0805) 2K2 Ohm 1/8W +/-5%	2	PC
058-00444430-00-00	CHIP Resistor (0805) 4K3 Ohm 1/8W +/-1% 贴片电阻 (0805) 4K3 Ohm 1/8W +/-1%	1	PC
058-00445100-00-00	CHIP Resistor (0805) 10K Ohm 1/8W +/-5% 表面钎接电阻 (0805) 10K Ohm 1/8W +/-5%	2	PC
058-00640000-00-00	Chip Resistor (1206) 0 Ohm 1/4W +/-5%	5	PC
058-00641100-00-00	Chip Resistor (1206) 1Ohm 1/4W +/-5% 贴片电阻(1206) 1Ohm 1/4W +/-5%	1	PC
058-00642470-00-00	Chip Resistor (1206) 47 Ohm 1/4W +/-5% 贴片电阻(1206) 47 Ohm 1/4W +/-5%	4	PC
058-00642910-00-00	Chip Resistor (1206) 91 Ohm 1/4W +/-5% 贴片电阻(1206) 91 Ohm 1/4W +/-5%	2	PC
058-00644220-00-00	Chip Resistor (1206) 2.2K Ohm 1/4W +/-5% 贴片电阻(1206) 2K2 Ohm 1/4W +/-5%	4	PC
059-08203300-01-00	Resistor Network (0402) 8pin 4X33 Ohm 1/10W +/-5% 排阻 4个33 Ohm 电阻并联，封装：0402	2	PC
059-08310000-01-00	Resistor Network (0402), 8pin 4X100 Ohm 1/10W, +/-5% 排阻(0402), 4个100 Ohm,电阻并联	1	PC
108-0510104K-00-JV	Chip Capacitor(0402)0.1U 10V +/-10%	1	PC
108-1050030C-25-JV	Chip Capacitor(0603) 3P 50V +/-0.25%	3	PC
108-1050103K-00-JV	Chip Capacitor(0603)0.01U 50V +/-10%	7	PC
108-10B3200B-M0-00	Chip Capacitor (0603) X7R 200pF 50V +/-20% 贴片电容 (0603) X7R 200pF 50V +/-20% FORMER NUMBER:106-350B3200-20-00	4	PC
108-10B4100B-K0-00	Chip Capacitor (0603) X7R 0.001uF 50V +/-10% 贴片电容 (0603) X7R 0.001uF 50V +/-10% 102	19	PC
108-10B4120B-K0-00	Chip Capacitor (0603) X7R 0.0012uF 50V +/-10% 贴片电容 (0603) X7R 0.0012uF 50V +/-10% 4K/ROLL 122	1	PC
108-10B4150B-K0-00	Chip Capacitor (0603) X7R 0.0015uF 50V +/-10% 贴片电容 (0603) X7R 0.0015uF 50V +/-10% 152	8	PC
108-10B4220B-K0-00	Chip Capacitor (0603) X7R 0.0022uF 50V +/-10% 贴片电容 (0603) X7R 0.0022uF 50V +/-10% 222	8	PC
108-10B4330B-K0-00	Chip Capacitor (0603) X7R 0.0033uF 50V +/-10% 贴片电容 (0603) X7R 0.0033uF 50V +/-10% 332	2	PC
108-10B4820B-K0-00	Chip Capacitor (0603) X7R 0.0082uF 50V +/-10% 贴片电容 (0603) X7R 0.0082uF 50V +/-10% 822	2	PC
108-10B5180B-M0-00	Chip Capacitor (0603) X7R 0.018uF 50V +/-20% 贴片电容 (0603) X7R 0.018uF 50V +/-20% FORMER NUMBER:106-350B5180-20-00	1	PC
108-10B5220A-K0-00	Chip Capacitor (0603) X7R 0.022uF 25V +/-10% 贴片电容(0603)X7R 0.022uF 25V +/-10% 4K/ROLL FORMER NUMBER:106-325A5220-20-00	1	PC
108-10B5330A-K0-00	Chip Capacitor (0603) X7R 0.033uF 25V +/-10% 贴片电容 (0603)X7R 0.033uF 25V +/-10% FORMER NUMBER:106-325A5330-20-00	1	PC
108-10B5470A-K0-00	Chip Capacitor (0603) X7R 0.047uF 25V +/-10% 贴片电容 (0603) X7R 0.047uF 25V +/-10% FORMER NUMBER:106-325A5470-20-00	3	PC
108-10B5680A-K0-00	Chip Capacitor (0603) X7R 0.068uF 25V +/-10%	1	PC

	贴片电容 (0603) X7R 0.068uF 25V +/-10% FORMER NUMBER:106-325A5680-20-00		
108-10B6100A-K0-10	Chip Capacitor (0603) X7R 0.1uF 25V +/-10% 贴片电容 (0603)X7R 0.1uF 25V +/-10% 4k/reel	43	PC
108-10B6150O-K0-00	Chip Capacitor (0603) X7R 0.15uF 16V +/-10% 贴片电容 (0603)X7R 0.15uF 16V +/-10%	4	PC
108-10B6220P-K0-00	Chip Capacitor (0603) X7R 0.22uF 10V +/-10% 贴片电容 (0603) X7R 0.22uF 10V +/-10% 4K/ROLL Former Number:106-310A6220-20-00	3	PC
108-10B7100P-K0-00	Chip Capacitor (0603) X7R 1uF 25V +/-10% 贴片电容 (0603) X7R 1uF 25V +/-10% 105	12	PC
108-10B7220P-K0-00	Chip Capacitor (0603) X7R 2.2uF 10V +/-10%	13	PC
108-10B7470P-K0-00	Chip Capacitor (0603) X5R 4.7uF 10V +/-10% 贴片电容 (0603) X5R 4.7uF 10V +/-10%	10	PC
108-10F6100A-M0-00	Chip Capacitor (0603) Y5V 0.1uF 25V +80/-20% 贴片电容 (0603)Y5V 0.1uF 25V +80/-20%	3	PC
108-10F6470O-M0-00	Chip Capacitor (0603) Y5V 0.47uF 16V +80/-20% 贴片电容 (0603) Y5V 0.47uF/16V +80%/-20% 4K/PACK	1	PC
108-10N1500B-J0-00	Chip Capacitor (0603) NPO 5pF 50V +/-5% 贴片电容 (0603) NPO 5pF 50V +/-5% 106-55091500-20-00	2	PC
108-10N2150B-J0-00	Chip Capacitor (0603) NPO 15pF 50V +/-5% 贴片电容 (0603) NPO 15pF 50V +/-5% 106-55092150-20-00	1	PC
108-10N2180B-J0-00	Chip Capacitor (0603) NPO 18pF 50V +/-5% 贴片电容 (0603) NPO 18pF 50V +/-5% 106-55092180-20-00	2	PC
108-10N2220B-J0-00	Chip Capacitor (0603) NPO 22pF 50V +/-5% 贴片电容 (0603) NPO 22pF 50V +/-5% 106-55092220-20-00	2	PC
108-10N2300B-J0-00	Chip Capacitor (0603) NPO 30pF 50V +/-5% 贴片电容 (0603) NPO 30pF 50V +/-5% 106-55092300-20-00	2	PC
108-10N2330B-J0-00	Chip Capacitor (0603) NPO 33pF 50V +/-5% 贴片电容 (0603) NPO 33pF 50V +/-5% 106-55092330-20-00	2	PC
108-10N3100B-J0-00	Chip Capacitor (0603) NPO 100pF 50V +/-5% 贴片电容 (0603) NPO 100pF 50V +/-5%	14	PC
108-21B6470O-K0-00	Chip Capacitor (0805) X7R 0.47uF 16V +/-10% 贴片电容(0805) X7R 0.47uF 16V +/-10% 4K/PACK	1	PC
108-21B7100A-K0-00	Chip Capacitor (0805) X7R 1uF 25V +/-10% 贴片电容(0805) X7R 1uF 25V +/-10% < GP6 Model>,3K/PACK 105	10	PC
108-21B8100P-K0-00	SMD 0805 CAP, 10uF±10%, Rated Voltage10 L: 2.00 ± 0.20 mm W1.25 ± 0.20 mm 贴片电容X6S，10uF±10% 封装0805，额定电压10V 代用：108-21B5100P-K0-00	33	PC
108-21F7470O-Z0-00	Chip Capacitor (0805) Y5V 4.7uF 16V -20/+80% 贴片电容 (0805) Y5V 4.7uF 16V -20/+80% 3K/ROLL 2017-10-19增加108-21F7470O-Z0-10	5	PC
108-31F8100A-Z0-00	Chip Capacitor (1206) Y5V 10uF 25V -20/+80% 贴片电容 (1206) Y5V 10uF 25V -20/+80% 2K/ROLL 2017-10-24增加108-31F8100A-K0-00	1	PC
108-31F8220O-M0-00	Chip Capacitor (1206) Y5V 22uF 16V +/-20% 贴片电容(1206) Y5V 22uF 16V +/-20%	1	PC
108-31F8220P-Z0-00	Chip Capacitor (1206) Y5V 22uF 10V -20/+80% 贴片电容 (1206) Y5V 22uF 10V -20/+80% 2K/ROLL 2017-10-19增加108-31F8220P-Z0-10	2	PC
110-016C9470-00-00	Electrolytic Capacitor 470 uF 16V +/-20%,Size: D 8 X 12mm 电解电容 470 uF 16V +80 -20%, D 8 X 12mm	1	PC
110-016CA220-01-00	Electrolytic Capacitor 2200uF 16V +80% -20%,Size:D10x21mm	1	PC

	电解电容 2200 uF 16V +80 -20%, D10x21		
110-025C9470-03-00	Electrolytic Capacitor 470 uF 25V +/-20%,Size: D 8 X 14mm 电解电容 470 uF 25V +/-20%, D 8 X 14mm 工作温度：-40/+105度 中山万科	1	PC
110-025CA220-00-00	Electrolytic Capacitor 2200 uF 25V +80 -20% Size:D13 X 21mm 电解电容 2200 uF 25V +80 -20%	1	PC
110-T01000E2-02-00	Ai Electrolytic Capacitor 10uF 25V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 10uF 25V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	6	PC
110-T02200C2-00-00	Ai Electrolytic Capacitor 22uF 16V, +/-20%,Size:D5x5mm,P=2.0mm, Straigh Tapping Ai电解电容 22uF 16V, +/-20%, D5x5mm, 脚距=2.0mm, 直型编带 (-40 to +105 Degrees)	2	PC
110-T04700C2-02-00	Ai Electrolytic Capacitor 47uF 16V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 47uF 16V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	6	PC
110-T10000C2-02-00	Ai Electrolytic Capacitor 100uF 16V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 100uF 16V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	15	PC
110-T10000C2-03-00	Ai Electrolytic Capacitor 100uF 25V, +/-20%, D5x11mm, P=2.0mm,Straight Tapping Ai电解电容 100uF 25V, +/-20%, D5x11mm, 脚距=2.0mm, 直型编带. (-40 to +105 Degrees)	8	PC
110-T22000C3-03-00	Ai Electrolytic Capacitor 220uF 16V, +/-20%, D6.3x12mm, P=2.5mm,Straight Tapping Ai电解电容 220uF 16V, +/-20%, D6.3x12mm, 脚距=2.5mm, 直型编带. (-40 to +105 Degrees)	5	PC
115-016C9100-00-00	SMT Electrolytic Capacitor 100 uF 16V +/-20%,Size: L5.4 x W6.3mm(ECEV1CA101WP) 贴片铝电解电容 100 uF 16V +/ -20%, 焊盘封装：长5.4 x 宽6.3mm/105度	2	PC
159-10000150-00-00	SMD INDUCTORS(0603)15nH, MAX 300mA VHF160808H15NJB	1	PC
159-10001200-02-00	SMD INDUCTORS,120nH+/-5% SDFL2012LR12JT, MAX 250mA,0805封装，供货商:泰丰祥 产品型号:SDFL2012LR12JT，封装：0805； 电感量：120NH,误差：±5%，颜色=白色 额定电流：250mA 工作温度：-40 to 85℃	1	PC
159-10002200-10-10	SMD INDUCTORS 220nH±5%, (0805)，MAX300mA. SMD 叠层电感 220nH±5%, MAX300mA, L=2.0±0.2 L=2.0±0.2 W=1.25±0.2 T=1.25±0.2（厚 W=1.2±0.2 T=1.25±0.2 （厚身绕线）	1	PC
159-10047000-07-00	SMD CHIP INDUCTORS 4.7UH+/-10% 0805	1	PC
159-10330000-01-50	SMD INDUCTORS,33uH+/- 20%, 型号: SPH252012H330MT 阻抗1.84Ω 额定电流0.42A 供应商：宝盈新 代替159-10330000-01-40（或30）	1	PC
159-GZ1608D1-52-00	SMD INDUCTORS,磁珠,GZ1608D152(0603) Max150mA,对100MHz有1500 ohm阻抗,	32	PC

	对1G有1500 ohm阻抗,工作温度：-55 to 125 供货商：泰丰祥 2017-9-19增加160-FCM1608H-F1-00		
159-NL453232-00-10	SMD INDUCTORS,1MH+/- 5%,NL453232T-102J- PF.4.5× 3.2× 3.2mm（L×W× T） 贴片电感:1MH+/- 5%,NL453232T-102J-PF 30 mA/MAX,Q=30,DRC=40.OHM/MAX,尺寸：4.5× × 3.2× 3.2mm（L×W× T）	1	PC
159-WL322522-00-00	SMD INDUCTORS,220UH+/-10%,WL322522-221K 3225封装。 50mA/MAX,Q=20,DRC=21.OHM/MAX,	1	PC
160-00000220-00-00	Chip Ferrite Bead 220 Ohm/ 100M 0603 Max 200mA,	6	PC
160-00001500-00-00	Chip Ferrite Bead 1K5 Ohm/ 100M 0603 2013-7-10:深圳杰智达回复最大100mA 2017-9-14增加160-FCM1608H-F1-00	4	PC
160-CBW9U600-00-00	CHIP BEAD(CBW TYPE), 0805,阻抗 60Ω/ 100 MHz(+/-25%)at100MHz ,3A 大电流型磁珠:100Mhz下阻抗为60Ω +/-25% 最大电流：3A,由深圳泰丰祥提供。 代用：160-0CBW2600-M0-00 型号:CBW201209	1	PC
169-11050547-02-00	Ferrite Choke Transformer OD=11 ID=5.0 47uH, ±30% ,Wire D=0.5mm 47uH, ±30% ,Wire D=0.5mm 品名：T11.5x5.6x4.2mm ， 电感量=47uH, ± 备注：2017-6-12，ALL ECN代用为：169-1105	1	PC
169-T10L0100-10-00	Ferrite Choke Transformer OD=20 ID=12 Wire D=1.0，P/N：T8026 100UH±20%, 磁芯扼流圈,外径20,内径12,线径1.0，立式 型号：T8026 电感量100±20%UH，有热缩管 备注：2017-5-16，ALL ECN代用：	1	PC
204-TS063543-R9-00	Surface Mount Tact Switch H=4.3,L=6.1 ,W=3.5mm, RED,180+/-50gf,< ROHS> Ver 表面焊接按制, H=4.3,L=6.0,W=3.5MM,按制顶 端触按塑胶红色,180+/-50gf,环保耐高温 PHILIPS MODE 编带，浙江合业提供	16	PC
214-EC110201-M2-00	Rotary Encoder,D12mm, With Switch 15 Pulses,30 Detents,Vertical Model: 编码器,15脉冲,30触点,D12mm, 直立 式开关,D型金属轴,供应商:升威公司 EC110201M2D-HAI-330, D Type Shaft, Sound EC110201M2D-HAI-330, D Type Shaft, Sound	1	PC
251-20060HLP-BL-E0	Jumper Wire AWG20，L=60mm ，black Terminals gourd slices 电线 AWG20号 长=60毫米 黑色, 一端接葫芦片(处径7.5,内径3.2)	1	PC
358-STM5083S-00-00	Infra Red Receiver,STM-5083SM,2.4~5.5V W/O Metal Shield Cap,940nm,37.9KHz, 抗光型（贵价）红外线接收器:STM-5083SM,2. 波长:940nm,频率:37.9KHz,脚距：1.27mm 抗光型,由光科公司提供，CLARION（歌乐）日	1	PC
362-M5050RCA-00-00	M505 assemble wire (with Front/Rear LINE OUT+SUB+ANT+2-ZONE	1	PC
362-M505REM0-00-01	M505 Remote assemble wire (with WIRE REMOTE+XM+OE) 2016-6:SIRIUSXM线内的黑芯和蓝芯线（电源+	1	PC
371-00M505PW-00-00	Clarion M205/505 power wire (with 15A FUSE) With 15A Lable	1	PC
376-LRDJ7161-00-00	Clarion Power Socket,LR-DJ7161-1/1 for M505/205	1	PC
377-H022100L-04-00	FPC/FFC Connector 22 pin SMD, W/Locker(Upper Contact, Pitch=1.0mm)	2	PC

	22位FPC/FFC连接器,间距:1.0mm,上接点,卧式 SMD 有锁,单排脚.北极大供应		
378-22100050-L0-00	22P FFC,P=1.0mm,L=50mm,L-Type 22p FFC,P=1.0mm,L=50mm,L-Type(反向)	1	PC
386-0CW51414-SA-S0	Blue Tooth Module，CW51；FOR M505 CW51_SA_V400B014，BY SMX	1	PC
402-0327680K-03-10	Crystal 32.768KHz，C-308（3x8），+/-10p 负载电容：12.5PF 取代402-0327680K-03-00、402-00032768-00-	1	PC
402-0327680K-10-10	Crystal 32.768KHz，D2x6mm（加绝缘套管）+ 负载电容：12.5PF 代用402-0327680K-10-01	1	PC
402-1008000M-01-10	Crystal 8MHz，HC49S,H=3.5mm，+/-20ppm 负载电容：20pF 取代402-1008000M-01-00。	1	PC
410-00M505AA-EC-00	M505/M205 Main PCB,171.0X148.6mm,FR4,T=1 M505/M205 主板，厚度1.6mm,FR4,OSP。 供应商：建祥。1拼1。	1	PC
410-00M505C2-DC-00	PANEL PCB CPU=M505 Size=193.7X44.5MM 1拼3 PCS T=1.6mm FR4 PANEL PCB CPU=M505尺寸:Size=193.7X44.5M T=1.6mm FR4 1拼3 PCS 供应商:建祥, 工艺：镀金. 拼板总尺寸：193.7X134.5MM	1	PC
410-00M505F2-DC-00	AUX PCB CPU=M505 Size=13.5X15MM 1拼3 PCS T=1.6mm FR4 AUX PCB CPU=M505 尺寸:Size=13.5X15 MM T=1.6mm FR4 1拼3 PCS 供应商:建祥 工艺：喷锡. 这个PCB 拼在PANEL PCB上	1	PC
410-TUNER28A-DC-01	PCB,TUNER Board , 单板Size =30 x 20.5mm, 拼板尺寸:150.5x110=110.5..T=1.2mm, 单板尺寸：30 x 20.5mm：拼板尺寸:1拼25 厚度：1.2mm,工艺：,供应商：建祥 FR4, OSP(抗氧化）	1	PC
412-DFUSB4PL-B0-00	登发立式直插USB座，接触点镀金 针脚镀锡，外壳为黄铜,H=10.5mm 使用环境-45～85度	1	PC
416-0S200020-E1-00	Wafer,2 Pin,Pitch 2.0mm Straight,<ELV> 排座2位, 间距 2毫米直身,< ELV >	2	PC
416-0S200060-E1-10	Wafer,6 Pin,Pitch 2.0mm Straight,< ELV > 6位排座,间距2.0mm,直身,< ELV > 代用：416-0S200060-E1-00	2	PC
416-0S200900-E1-00	Wafer,9 Pin,Pitch 2.0mm Straight,<ELV> 9位排座,间距2.0mm直身,<ELV>	2	PC
420-350327D0-00-00	A/V Jack 3.5mm,Model:PJ-327D AG(4 Pin)- < ELV > 3.5mm A/V JACK插座,4脚 Model:PJ-327D AG	1	PC
440-0C353430-00-00	LCD,Part No:C353430PFTR(A?),Size=75x26mm M205_505 Model FSTN POSITIVE CHARISH 液晶显示器 Part No:C353430PFTR,(A?) 版本 FSTN 正像 Size=75x26mm 捷尔士公司	1	PC
443-07507820-00-00	Rubber Contact (SI Type) L=75 H=2 W=7.8mm Pitch=0.1mm 导电胶 (SI Type) 长=75 高=2 宽=7.8mm 间距=0.1mm	1	PC
444-00CMS404-00-00	KNOB RING,50度黑色硅胶 旋钮圈，50度黑色硅胶	1	PC
455-FSMD0200-00-00	SMD Resettable Fuse 0.2A (SMD1206) TUZETEC FSMD020-1206 (富致科技供应)富致科技型号为FSMD020-1206 工作保持电流为0.2A ,跳脱电流0.4A IHA=0.2A .ITA =0.4A .VMAX=30VDC , MAK 工作电压6-30VDC ,产品上标志为(FB) ,每	1	PC
455-FSMD0500-00-00	SMD Resettable Fuse 0.5A (SMD1206)	3	PC

	TUZETEC FSMD050-1206 (富致科技供应)富致科技型号为FSMD050-1206 工作保持电流为0.5A		
455-FSMD0750-00-00	SMD Resettable Fuse 0.75A (SMD1206) TUZETEC FSMD075-1206 (富致科技供应)富致科技型号为FSMD075-1206 750MA自恢复保险丝	1	PC
600-00M50509-00-00	LCD Light Guide,(Clear)PMMA LCD导光块,透明PMMA	1	PC
600-00M50519-00-00	LCD Holder, PC(White) LCD托架,白色PC	1	PC
600-00M50801-00-00	Panel Front, PC+ABS(Black T65)+UV,W/Spra + 表面拉丝纹 面壳,PC+ABS(黑色T65_65%PC+35%ABS)+UV粉, 喷哑黑+表面拉丝纹	1	PC
600-00M50802-00-00	Trim Plate,ABS777D(Black)+UV,W/Spray Mat 装饰框,ABS777D(黑色)+UV,喷哑黑3C/防UV	1	PC
600-00M50803-CN-00	Lens,PC(Clarity),W/Silkscreen for Clario 镜片,PC(透明),丝印用于:Clarion M508 +遥控窗口	1	PC
600-00M50804-00-00	Button Backlight,PC(Clarity),W/Spray Whi On Back Side. 背光胶,PC(透明),背面喷白油	1	PC
600-00M50805-00-00	Function Button 01,PC(White)+UV,W/Spray & Illu "SCAN,<-->,=>,<-,V,^,DISP" 功能按钮01,PC(白色),喷哑黑,透光:"SCAN, <-->,=>,<-,V,^,DISP",(防UV)	1	PC
600-00M50806-00-00	Function Button 02,PC(White)+UV,W/Spray Black & Illu "Power Symbol,SRC" 功能按钮02,PC(白色),喷哑黑,透光:"电源符 号,SRC" (防UV)	1	PC
600-00M50807-00-00	Function Button 03,PC(White)+UV,W/Spray Black & Illu "MENU" 功能按钮03,PC(白色),喷哑黑,透光:"MENU" (防UV)	1	PC
600-00M50808-00-00	Function Button 04,PC(White)+UV,W/Spray Black & Illu "SUB" 功能按钮04,PC(白色),喷哑黑,透光:"SUB" (防UV)	1	PC
600-00M50809-00-00	Function Button 05,PC(White)+UV,W/Spray Black & Illu Music Symbol 功能按钮05,PC(白色),喷哑黑,透光:音乐 符号, (防UV)	1	PC
600-00M50810-00-00	Function Button 06,PC(White)+UV,W/Spray Black & Illu ">II,BAND" 功能按钮06,PC(白色),喷哑黑,透光: ">II,BAND"(防UV)	1	PC
600-00M50811-00-00	Function Button 07,PC(White)+UV,W/Spray Black & Illu "I<<" 功能按钮07,PC(白色),喷哑黑,透光: "I<<",,(防UV)	1	PC
600-00M50812-00-00	Function Button 08,PC(White)+UV,W/Spray Black & Illu ">>I" 功能按钮08,PC(白色),喷哑黑,透光:">>I" (防UV)	1	PC
600-00M50813-00-00	Button Bracket,PC(Black) 功能钮托,PC(黑色)	1	PC
600-00M50814-00-00	Reset Button,PC(Black) 复位钮,PC(黑色)	1	PC
600-00M50815-00-00	USB Cover,PC(Black)+UV,W/Silkscreen Silv "USB Symbol,AUX" USB盖,PC(黑色),丝印银色8400C:"USB符号, AUX" (防UV).啤高光黑	1	PC
600-00M50816-00-00	Rotary Knob,ABS757(Nature)+UV,W/Dark Chr 音量钮,ABS757(原色),电镀黑铬(防UV).	1	PC
650-000SL835-00-00	7808 IC Bracket,1.0t EGI,Kinetics 7808 IC支架,1.0t EGI	2	PC

	1.0t EGI,Kineti,Nature		
650-000SLISD-00-00	Spring For Vol Knob, , Spring Steel D1.0 Vol 钮弹簧,D1.0 弹簧钢，内径7.8	1	PC
650-00M50501-00-00	LCD Bracket,0.5mm SECC,W/Spray LCD五金盖,0.5mm SECC,喷黑油	1	PC
650-00M50502-00-00	Rear_Chassis,0.8mm SECC,Nature 后侧支架,0.8mm SECC,原色	1	PC
650-CEM200005-00-00	HALF-SLEEVE T=0.6mm EGI 半套，厚度0.6mm，EGI 原色 0.6t EGI,Kineti,Nature	1	PC
650-CEM310001-00-00	Main Bracket T=0.8mm EGI 主架，厚度0.8mm，EGI 原色 0.8t EGI,Kineti,Nature	1	PC
650-CS880000-25-02	Mounting Plate(Short), EGI, Kinetics 固定片(短）,EGI	1	PC
650-SM100804-10-00	TOP COVER T=0.6mm EGI NO LOGO 顶盖，厚度0.6mm，EGI 无LOGO冲字 0.6t EGI,Kineti,Nature(No Logo)	1	PC
650-SM100805-60-00	HEAT SINK,ADC-12, W/Electrophoresis blac 散热片,开大缺口,后加工处理：电泳黑色	1	PC
650-SM300709-01-00	Unit Key,1mm EGI,W/LOCKER 钥匙,1mm EGI,带钩子	2	PC
650-SM885A07-00-00	IC Bracket,0.8mm EGI IC支架,0.8mm EGI	1	PC
660-EBH2605B-21-00	Taptite `S`Type, 2.6x5 "B"Head, Philips Plating White zinc 金属自攻螺丝,2.6x5 "B"头,白锌 机牙自攻螺丝：BM2.6x5.0，材质：1022，电	9	PC
660-EBH2610B-21-00	Taptite `S`Type, 2.6x10"B"Head, Philips Plating White Zinc 金属自攻螺丝,2.6x10 "B"头,白锌 机牙自攻螺丝：BM2.6x10，材质：1022，电镀	4	PC
660-MHD50120-01-01	Machine Screw,M5x12+M5x5.5Hexagonal Head Plating Color Zinc 双头六角机牙螺丝,M5x12+M5x5.5,镀彩锌 双头机牙螺丝，5x11.5+8x3.5+5x4.5六角中字	1	PC
660-MHW50080-00-00	Machine Screw,M5x8 Hexagonal Head ,Ordinary color zinc 六角垫圆圈机牙螺丝,M5x8普通彩锌	4	PC
660-MKF50070-27-00	Machine Screw, M5x7 Flat Countersunk, yellow zinc, Philips,Head 机牙螺丝,M5x7,平头,彩锌	4	PC
660-MPH30060-21-00	Machine Screw, 3x6 Pan Head, Philips, Plating White Zinc 机牙螺丝,3x6 "P"头,白锌 机牙螺丝：3x6x5.5PM，电镀：白锌，材质：1	2	PC
660-MPH30160-21-00	Machine Screw,3x16 Pan Head,Philips Plating White Zinc 机牙螺丝,3x16 "P"头,白锌 机牙螺丝：PM3x16，材质：1006A，电镀：白	2	PC
660-TPH20081-23-00	Tapping `A`Type, 2x8 Pan Head, Philips, Chromate 自攻螺丝,2x8 "P"头,ATP,电铬 华江：2010-01-06修改 直接代用货号：660-	7	PC
661-SWM05000-00-00	Spring Washer M5 弹弓介子 M5	2	PC
662-HNM50040-00-00	Hexagon Nut M5xP0.8x4t 六角丝帽 M5xP0.8x4t LIU：2009-12-25修改 直接代用货号：662-H	1	PC
704-00M50501-00-00	LCD FILTER SHEET,0.1mm PC Sheet, Color: Milk White,W/Silkscreen Black LCD滤光片,0.2mm PC片,奶白色	1	PC

	带黑色边框		
704-00M50502-00-00	DRIP PROOF COVER,PC SHEET(Black),0.25mm PC防水片,0.25mm黑色	1	PC
704-CEM310001-00-00	Clarity PC T=0.25mm 透明PC片 厚度=0.25mm 底盖绝缘用	1	PC
711-06020008-08-03	(70-0602021-00) 602遥控头挡光EVA/单面背 602遥控头挡光EVA/ --天将	1	PC
750-02300300-00-00	Corrugated Paper Sheet, L=230 x W=300mm, Double Corrugated 瓦通纸(双坑),L=230 x W=300mm. B=C	1	PC
757-00M50801-00-00	White Box for M508 Size: 236x85x307mm 白盒，尺寸:236x85x307mm，300g+A9加强芯	1	PC
759-04020001-60-60	Polybag,Open Side=40xL=200xT=0.06mm ,Material PE Recycled With Recycled Mark 胶袋,开口尺寸=40x长=200x 厚=0.06mm 材料:PE,有环保标志	1	PC
759-07523000-40-00	Polybag, Open Side=75 x L=230 x T=0.04mm Material : PE 胶袋,开口尺寸=75x 长=230 x 厚=0.04mm 材料:PE	1	PC
759-08009001-40-00	Polybag, Open Side=80 x L=90 x T=0.04mm Material: PE Recycle, With Recycling 胶袋,开口尺寸=80x长=90x厚=0.04mm, 材料:PE,有环保标志.	1	PC
759-27032005-30-45	Polybag,Open Side=270 x L=320 x T=0.03mm Material:PO, w/Air Holes,(in 5 Language) 胶袋,开口尺寸=270x长=320x厚=0.03mm, 材料:PO,有环保标志&警告文字&通风孔.Rev.1 Recycle Mark,Warning Text.-Rev.1-	1	PC
763-00M50500-06-00	Carton (Premium box) forM505, 6 Sets/CTN SIZE: 53x24.8x32.2cm 6部装(贴盒),K=A加强芯，53x24.8x32.2cm	0	PC
769-00M50501-00-00	Pulp Tray,SIZE:300X230X73mm 纸托,尺寸:长X宽X高：300X230X73mm	1	PC
852-00435025-10-00	Rubber pad, L=4,W=3.5,H=2.5mm,70度 W/Dou Side Tape 橡胶垫, 长=4 宽=3.5 高=2.5mm，70度， 底	2	PC
852-00505070-10-00	Rubber pad, L=5,W=5,H=7mm,70度 W/Double Side Tape 橡胶垫, 长=5 宽=5 高=7mm，70度， 底部带3	1	PC
891-00241202-00-00	Rubberized fabric,24x12x0.2mm,Black, 醋酸胶布,24x12x0.2mm黑色,天将 材质：国产醋酸黑胶布+背3M9448胶	2	PC